





Implementation of Deflated Preconditioned Conjugate Gradient on the GPU


Rohit Gupta

Responsible Professor: Prof. Dr. Ir. Henk Sips
Supervisors: Prof. Dr. Ir. Kees Vuik and Ir. C.W.J. Lemmens

Two-Phase Fluid Flow




Model for Two Phase Computation




**Boundary
Conditions**

$$\begin{aligned} -\nabla \cdot \left(\frac{1}{\rho(\mathbf{x})} \nabla p(\mathbf{x}) \right) &= f(\mathbf{x}), & \mathbf{x} \in \Omega, \\ \frac{\partial}{\partial \mathbf{n}} p(\mathbf{x}) &= g(\mathbf{x}), & \mathbf{x} \in \partial\Omega, \end{aligned}$$

GPU Architecture



CPU




GPU

Memory Bandwidth



Launch Configuration




Key Optimizations

- **Coalescing**
 - **Minimum Memory Transfers**
 - **Minimum Divergence**
 - **Caching**
-

Related Work

- **SpMV Kernel**
- **Preconditioning Kernels**
- **Deflation Kernels**

Two-Phase Fluid Flow



Implementation GPU

- **SpMV Kernel**
- **Preconditioning Kernels**
- **Deflation Kernels**

Implementation CPU

- **Meschach/ gotoBLAS**
- **Compiler Options**
- **Same Data Structures**

Flavors

- **Conjugate Gradient (CG)**
- **CG with Preconditioning**
- **CG with Preconditioning and Deflation**



Preconditioning

- **Diagonal**
- **Incomplete Cholesky**
- **Incomplete Poisson**

Deflation

- **Important Operations**
- **Subdomains**
- **Deflation Kernels**

Methodology

- **Step-by-Step Optimizations**
- **Profiler for Advice**
- **Modularity and Readability**

Conjugate Gradient - Vanilla

- **DIA Format is best**
- **SpmV dominate GPU execution**

- $10^{-3} < \frac{\| X_{exact} - X_k \|_2}{\| X_k \|_2} < 10^{-5}$

Preconditioning Block Incomplete Cholesky

- **Preconditioning dominates execution**
- **More Blocks – Better SpeedUp**
- **Shared Memory Use restricted**

Deflation

- **Speed Up recovers**
- **Preconditioning gets company in $AZ \times E^{-1}b$**
- **More Deflation Vectors – More Speed Up**

Deflated Preconditioned Conjugate Gradient

- **Storage of AZ optimized**
- **Speed Up Suffers – CPU performs better**
- **Optimizations on CPU**

Deflated Preconditioned Conjugate Gradient

- **Incomplete Poisson Preconditioning**
- **Speed Up favoring move**

- $$\frac{\| X_{exact} - X_k \|_2}{\| X_k \|_2} \text{ IP} \approx \frac{\| X_{exact} - X_k \|_2}{\| X_k \|_2} \text{ BIC}$$

Deflated Preconditioned Conjugate Gradient

- **Matrix Vector Multiplication** $E^{-1}b$ optimized
- **Kernels utilize 85% of bandwidth**
- **Clubbing Kernels – Reducing Memory Traffic**

Two Phase Matrix


- **Density Contrast 1000:1**

- $0 < \frac{\| X_{exact} - X_k \|_2}{\| X_k \|_2} < 10^{-1}$

- **False Stop**

Performance Timeline

Iterative Optimizations



Analysis

- **Very close to possible peak performance**
- **Bandwidth bound Kernels**
- **Platform Utilization – Startling Facts**

Future Work

- **Multi-GPU Multi-CPU**
 - **3D Domains, More Interfaces, Mixed Precision**
 - **Different Preconditioners, Grid Types.**
-

Conclusions



Conclusions

- **Deflation suits the many core platform**
- **Two Phase accuracy suffers**
- **Deflation with IP Preconditioning**


© Original Artist

Reproduction rights obtainable from
www.CartoonStock.com



search ID: dcr0801

"IMPLEMENTING THESE CHANGES WON'T BE EASY.
WE'RE PRETTY SET IN DOING THINGS THE WRONG WAY."



"This 'wheel' thing of yours—Does it have to be round or will any shape do?"